

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	28	(search\$3 quer\$4) near5 (aggregat\$3) near5 (multiple plural) near5 (database (data adj base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/05 08:14
L7	5	(search\$3 quer\$4) near5 (aggregat\$3) near5 sales near5 (database (data adj base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/05 08:19
S55	71	(access\$3 near5 (authority right level)) same ((user near1 name) username) and (question near10 (menu list box))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S56	16	(access\$3 near5 (authority right level)) near10 ((display \$3 present\$5) near5 question)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S57	1	"20030113727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S58	1	10/509442	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S59	67	(access\$3 near5 (authority right level)) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S60	221	(role near1 based) near5 access and "705".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S61	20	(rol\$3 near5 based near5 access) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S62	47	(service near5 level) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S63	1	"20030167197"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S64	1094	(question near5 (menu list)) near10 select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S65	294	((question near5 (menu list)) near10 select\$5) and ((access\$3 service authori \$5) near5 level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S66	10	((question near5 (menu list)) near10 select\$5) same ((access\$3 service authori \$5) near5 level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S67	73	((question near5 (menu list)) near10 select\$5) and ((access\$3 service authori \$5) near5 level) and (((user near1 name) username) near10 password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S68	292	(security near1 application) and (service near1 application) and (framework near1 application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S69	206	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S70	196	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S71	196	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S72	7	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and (question near5 (list menu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S73	1	(security adj application) and (service adj application) and (framework adj application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and (question near5 (list menu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S74	2	(security adj application) and (service adj application) and (framework adj application) and (((user near1 name) username) near5 password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S75	0	(security adj software) and (service adj software) and (framework adj software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S76	5	(security adj module) and (service adj module) and (framework adj module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S77	562	(access\$3 near5 (authority right level)) same ((user near1 name) username) and (security near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S78	85	(access\$3 near5 (authority right level)) same ((user near1 name) username) same (security near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S79	366	(access\$3 near5 (authority right level)) same ((user near1 name) username) same (access\$3 near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S80	247	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S81	67	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application)) and @rld<"20020403"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S82	16	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application)) and @pd<"20020403"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S83	8	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (web near5 (page site)) and @pd<"20020403"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S84	25	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (web near5 (page site)) and @ad<"20020403" not S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S85	18	(access\$3 near5 (authority right level)) same (((user near1 name) username)) same (web near5 (page site)) and @ad<"20020403" not S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S86	77	((natural adj language) near5 question\$3) and ((service authoriz\$5 authoris \$5 secur\$3 protect\$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S87	19	"5,895,466"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S88	50	(display\$3 present\$3 input \$4 enter\$4) same ((natural adj language) near5 question \$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect \$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S89	47	(display\$3 present\$3 input \$4 enter\$4) near5 ((natural adj language) near5 question \$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect \$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S90	49	(display\$3 present\$3 input\$4 enter\$4) near5 ((natural adj language) near5 question\$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect\$3 access\$3) near5 level) and (@pd<"20020403"@rlad<"20020403"@ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S91	16	(display\$3 present\$3 input\$4 enter\$4) near5 ((natural adj language) near5 question\$3) same ((authoriz\$5 authoris\$5 secur\$3 protect\$3 access\$3)) and (@pd<"20020403"@rlad<"20020403"@ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S92	2	(select\$3 choos\$3 chosen pick\$3) near5 ((natural adj language) near5 question\$3) same (authoriz\$5 authoris\$5 secur\$3 protect\$3 access\$3 permission level right password username (user adj name)) and (@pd<"20020403"@rlad<"20020403"@ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S93	32	(select\$3 choos\$3 chosen pick\$3) near5 ((natural adj language) near5 question \$3) and (authoriz\$5 authoris \$5 secur\$3 protect\$3 access \$3 permission level right password username (user adj name)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S94	4	faq near5 (right permission authoriz\$5 authoris\$5) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S95	1	(predetermined preset precustomized prespecified (pre adj (determined set customized specified)))) with ((natural adj language) near5 question\$3) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S96	11	list near5 ((natural adj language) near5 question \$3) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S97	124	(customized determined set) near5 ((natural adj language) near5 (quer\$4 question\$3)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S98	14	((customized determined set) near5 (natural adj language) near5 (quer\$4 question\$3)) and ((access \$3) near5 (level permission authoriz\$5 authoris\$5)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S99	5	09/782873	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S100	123	((select\$3 display\$3 list\$3) near5 (question\$3)) same ((service authoriz\$5 authoris \$5 secur\$3 protect\$3 access permission) near5 (level right permission)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S101	16	((select\$3 display\$3 list\$3) near5 (question\$3)) near10 ((service authoriz\$5 authoris \$5 secur\$3 protect\$3 access permission) near5 (level right permission)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S102	11888	(707/3 707/4).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S103	204749	("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

S104	9	S86 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S105	2	S100 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S106	42	S97 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S107	2	S89 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39
S108	3	S86 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/06/04 16:39

6/5/2008 9:34:11 AM

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son_10_509_442_case.
wsp